

iTALK 310

Professional PoC Radio

Featuring a 2.0-inch color display and function keypad, high power speaker with noise reduction, and IP54 ingress protection.



ANDROID



4G



WIFI



NFC



CAMERA



GPS



IS MODEL (EXIA-EXIB versions available)

iTALK 310 Professional PoC Radio


KEY FEATURES

- External Camera
- Loud Speaker with Noise Reduction
- 2.0-inch Color Display
- IP67 Ingress Protection (Optional)
- Long Battery Life
- Dual-SIM Card
- NFC (Guard Patrol)
- GPS
- WiFi
- Bluetooth


SPECIFICATIONS

| | | |
|----------------------------|---|--|
| Bands | Asia-Pacific Version: TDD-LTE: B38/B39/B40/B41 FDD-LTE: B1/B3/B5/B8 TD-SCDMA: B34/B39, EVDO/CDMA: BC0 WCDMA: B1/B8 GSM: 900/1800MHz | Europe-Africa Version: LTE FDD: B1/B3/B5/B7/B8/B20 LTE TDD: B38/B40/B41 WCDMA: B1/B5/B8 GSM: 850/900/1800/1900MHz |
| | North America Version: LTE FDD: B2/B4/B5/B7/B12/B13/B25/B26 WCDMA: B1/B2/B4/B5/B8 GSM: 850/1900MHz | Australia Version: LTE FDD: B1/B3/B5/B7/B8/B28 LTE TDD: B40 WCDMA: B1/B2/B5/B8 GSM: 850/900/1800/1900MHz |
| System Version | Android 7.1 | |
| Display | 2.0" Color Display, 320*240 | |
| Dimension(H*W*D) | 108*56*37 mm | |
| Weight | Approximately 280g (incl. belt clip) | |
| Ingress Protection | IP67 (Optional) | |
| Battery | 3.8V 4000mAh main Battery. Optional 5200mAh High Cap | |
| SIM Card | Nano, Dual-SIM Card | |
| Speaker | 8Ω, 1W | |
| WIFI | Asia-Pacific Version: 2.4G. Europe-Africa / North America / Australia Version: 2.4G & 5G | |
| Positioning | GPS | |
| Mandown | Available | |
| NFC | Optional | |
| Working Temperature | -20°C - +60°C | |
| Storage Temperature | -30°C - +70°C | |

STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



iTALK 310 Professional PoC Radio

FEATURES AND HIGHLIGHTS



Worldwide Communications

The Global Talk service could be supported via the 2G/3G/4G public mobile network.



Optional external camera

The optional accessory external camera can make audio and video recordings without affecting radio usage.



Voice Announcement

All information including working status and groups can be voice broadcasted.



Reliable and Durable

The optional IP67 Ingress Protection and MIL-STD-810 G meets the requirements of harsh service applications.



2.0-inch Color Display

The full-color display presents the status information clearly.



Loud Speaker with Noise Reduction

Professional audio design guarantees good audio quality for individual, group and emergency calls.



Long Battery Life

4000mAh Lithium-Ion high capacity battery for extended operation time. An optional 5200mAh High Cap is also available.


APPLICATION SCENARIOS



LAW ENFORCEMENT



PROPERTY SECURITY



ELECTRIC ENERGY



TRANSPORTATION




LOGISTICS



RAILWAY



AIRPORTS



INDUSTRIAL PARKS